



PERFORMANCE PLATINUM™



LEAKGUARD™
PROTECTION

BUILT-IN AUTO SHUT-OFF VALVE

THE POWER TO **PROTECT**



ECONET® WIFI
CONNECTION

BUILT-IN WIFI

THE POWER TO **CONTROL**



LEAKSENSE™
DETECTION

BUILT-IN LEAK DETECTION

THE POWER TO **KNOW**

PERFORMANCE PLATINUM™
Gladiator™ High Efficiency
Electric Water Heater
40-, 50- and 55-Gallon Capacities



EXCLUSIVELY AT THE HOME DEPOT





Meet the Smart, Powerful, Easy-to-Install Gladiator

The unmatched Rheem® Gladiator™ gives more than hot water—it gives power. It's full of built-in smart features to help prevent cold showers, alert homeowners of issues before there's no hot water and protect your customer's home from potential water damage. Plus, it's a like-for-like replacement, and it's easy to install and service.

THE POWER TO **CONTROL**

Built-in EcoNet® WiFi Technology

Allow your homeowners to control and optimize their water heater experience from their phone¹



THE POWER TO **PROTECT**

LeakGuard™ Protection
Help homeowners protect their homes from potential water damage with **automatic water shut-off**

THE POWER TO **KNOW**

LeakSense™ Detection
Detect any water leak—large or small, internal or external²

The More You **KNOW**

Knowledge is power. With integrated WiFi and the EcoNet® App, homeowners can avoid cold showers, know before they have no hot water and know when their water heater needs service. It's all possible with Gladiator™.



KNOWLEDGE IS POWER

Built-in 360° LeakSense™ Leak Detection

Alerts homeowner about a leak with a built-in water leak detection system that detects any leak—large or small, internal or external—in as little as 15 seconds³



Hot Water Availability Indicator

Allows the homeowner to check if they have enough hot water to avoid cold showers¹



Element Health Indicator

Informs your homeowner if an element—and specifically which element—needs to be replaced so they can schedule a service call



Energy Usage Tracking

Enables the homeowner to view weekly, monthly and yearly energy usage reports to better manage consumption¹



Mobile Alerts

Notifies the homeowner immediately of leaks and service needs through the EcoNet App¹

THE POWER TO CONTROL


Put Your Clients in **CONTROL**

With built-in smart features, you can provide your homeowners with more control over their water heater experience.

SMART CONTROLS


Built-in EcoNet® WiFi Technology

Allows homeowners to enjoy complete control, like adjusting water temperature and setting Vacation / Away Mode¹




Water Temperature Control

Enables homeowners to effortlessly adjust water set temperature to balance hot water needs via the EcoNet App or hands-free voice control with Amazon Alexa or Google Nest⁴



Set Vacation or Away Mode

Lets homeowners safely save energy on water heating costs while away



Contact Info in the App

Helps you connect with customers by giving them an easy way to reach and share codes with you for repeat business and simpler service calls

THE POWER TO PROTECT

PROTECT Their Homes

Gladiator™ features an all-inclusive leak prevention system that quickly detects water leaks, shuts off incoming water and limits the amount of water that could escape the tank.



PROVIDE PEACE OF MIND



LeakGuard™ Auto Water Shut-off Valve

All-inclusive leak prevention system protects your customer's home from potential water damage



Prevent up to \$4,000 in Home Damage

Water heater failures cost an average of \$4,000 per incident after the deductible is paid. With Gladiator, you can help your clients feel safe and save money⁵



Detect Leaks in 15 Seconds

Gladiator detects leaks in less than 15 seconds³ and alerts homeowners




Limit Leaks to <20 oz.

LeakGuard protects your homeowners' belongings by limiting leaks to no more than 20 ounces⁶



"I like control of usage and being able to protect yourself money-wise and property-wise from any malfunctions."

Karen
Homeowner



Gladiator Makes It Easy

Feel confident selling Gladiator™ to homeowners while also enjoying hassle-free installation, replacement and service. Build reliable, life-long relationships by giving your clients the peace of mind they deserve.

Valve Quick-Release

If the actuator communication goes bad between the control and valve, you can replace it without touching the plumbing for simple, faster service

Leak Sensor Channel

Leak sensor replacement is easy by opening the bottom element cover and snaking the new leak sensor down the tube—360° protection, all from the front of the tank

EASY TO SELL, EASY TO INSTALL, EASY TO SERVICE



Built-in Premium Features

Save yourself time and give your customers up to \$600 in value with built-in leak detection, automatic water shut-off valve and WiFi control⁷



Diagnostic Mode

View detailed alerts and alarm codes while at the water heater via the Rheem® Contractor App to expedite service⁸



Perfect for Replacement

Easy replacement with the same dimensions as a standard electric water heater and one-button startup



Best-In-Class Warranty


Deliver peace-of-mind with 12-year limited tank and parts warranty and 3-year full in-house labor warranty⁹



Self-Cleaning

Reduces sediment buildup to prolong tank life and maintain the water heater's efficiency and tank capacity

Designed for the End User—and You



PERFORMANCE PLATINUM™ Gladiator™ High Efficiency Specifications

Fuel Type	Description	Nominal Gallon Capacity	Rated Gallon Capacity	Model Number	Recovery in G.P.H. 90° F Rise	First Hour Rating G.P.H.	Tank Height A	Ht. to Outlet Water Conn. B	Ht. to Inlet Water Conn. C	Diameter D	Ship Weight (LBS.)	Uniform Energy Factor (UEF)
With PlusOne® Management System												
Electric	Tall	55	55	XE55T12CS55U0	25	72	57	59-3/4	61-3/4	22-1/4	130	0.92
Electric	Tall	55	55	XE55T12CS45U0	21	72	57	59-3/4	61-3/4	22-1/4	130	0.92
Electric	Tall	50	45	XE50T12CS55U1	25	63	58-3/8	61-5/8	63-5/8	20-1/4	123	0.92
Electric	Tall	50	45	XE50T12CS45U0	21	63	58-3/8	61-5/8	63-5/8	20-1/4	123	0.92
Electric	Medium	50	45	XE50M12CS55U1	25	63	48	50-1/2	52-1/2	22-1/4	129	0.92
Electric	Medium	50	45	XE50M12CS45U0	21	63	48	50-1/2	52-1/2	22-1/4	129	0.92
Electric	Medium	40	36	XE40M12CS55U1	25	55	48-3/8	50-1/2	52-1/2	20-1/4	108	0.93
Electric	Medium	40	36	XE40M12CS45U0	21	55	48-3/8	50-1/2	52-1/2	20-1/4	108	0.93





LEED
Point = 1

Uniform Energy Factor and rated gallon capacity based on Department of Energy (DOE) requirements.

- Heaters furnished with standard 240 volt AC, single phase non-simultaneous wiring, and 4500 or 5500 watt upper and lower heating elements.

*Recovery = wattage/2.42 x temp. rise °F
Example: 5500W = 25 GPH
2.42 x 90°

**Recovery calculations used are based on 5500 watt elements used in non-simultaneous operation.



WATER CONNECTIONS
ALL 3/4" N.P.T.



CONTACT US

Customer Service, Warranty and Parts: 800.621.5622

Technical Service: 800.HEATER3 (800.432.8373)

EcoNet® Support: 800.255.2388

Plumber Support Group: 866.339.2388



¹WiFi broadband connection and EcoNet App required; notifications are dependent on external factors beyond Rheem's control. EcoNet is a registered trademark of Rheem® Manufacturing company. ²Water leaks from the heater only, as tested across scenarios including a minimum of 5.5mL/min volume leak rate, using most common installation scenarios. ³Source: Rheem Leak-Sensing Data: Time starts when leak begins and ends when sensor alarm is triggered. ⁴Amazon Alexa and Google Nest devices sold separately. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Google is a trademark of Google LLC. ⁵Source: According to The Insurance Institute for Business & Home Safety. ⁶Source: Rheem leak-sensing data; testing under a vacuum lock using 50 gallon tank, no expansion tank, average tank pressure of 40 psi, assuming no additional faucets are opened. ⁷Based on average costs of built-in components if purchased separately. ⁸WiFi broadband connection and Rheem Contractor App required; connection between water heater and app dependent on external factors beyond Rheem's control. ⁹See residential warranty certificate for complete information or view warranty details at RheemWarranties.com.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Google Play and the Google Play logo are trademarks of Google LLC.



In keeping with its policy of continuous progress & program improvement, Rheem reserves the right to make changes without notice.

Printed in the USA • 7/19 • WP • Form No. PPXE-GLAD